

Unit 10, Newbury Trade Park, Hambridge Road, Newbury, Berkshire, RG14 5PF, UK

RESPONSIBLE PERSON FOR HEALTH & SAFETY		Dave Field					
CLIENT:		VENUE:					
START DATE:		FINISH DATE:					
PERSONNEL INVOLVED	NAME	ROLE/TRADE	TRAINING				
		Installer	Health & Safety in the Workplace, Manual Handling, Fire Safety Award, Principles of Risk Assessment.				
		Installer	Health & Safety in the Workplace, Manual Handling, Fire Safety Award, Principles of Risk Assessment.				
WELFARE/FIRST AID Welfare facilities provided at venue. PPE Safety footwear and high visibility clothing to be worn at all times. Gloves to be worn on tasks identified in risk assessment. Hard hats are provided.							
First Aiders	All staff have been trained in Emergency F	First Aid. First Aid kit	ts are carried on company vehicles.				



Unit 10, Newbury Trade Park, Hambridge Road, Newbury, Berkshire, RG14 5PF, UK

SIGNI HAZA	FICANT RDS	Who Might be Harmed & How?	Control Measures	Risk with Controls in Place	Further Actions Needed	Action Completed*	Actioned By:
1.	Fire	Installers and others in the vicinity. Burns, smoke inhalation, fatality	The hirer has a responsibility to ensure there is a fire risk assessment for the venue and provide appropriate firefighting precautions and equipment. Firefighting precautions for the venue should include extinguishers for electrical fires. Powder fire extinguishers are carried on vehicles. Vents on machines should not be obstructed. Electrical appliances (games and booths) are tested before they leave the depot). We will not obstruct any escape routes and safety equipment (isolation switches, gas cut off, alarms, extinguishers etc.) with the installation.	Low Ignition and fuel sources are limited.	Installers to make themselves familiar with emergency procedures and location of fire extinguishers on arrival at site. Fire extinguishers should only be used if there is no risk to safety and user has been trained in use of extinguisher.		
2.	Manual Handling of games and tables when offloading and loading. Possible crush injuries when winding down feet and placing games on	Employees (Installers). Injuries to back and limbs (Strains/Sprains/ Abrasions/Bruis es, Crush Injuries)	Based on the access details provided by the hirer (information regarding the physical and environmental conditions -stairs, lifts, floor and ground surfaces etc.), when ordering the games, two installers are needed to transport the game(s) from the vehicle to the point of use. Once on site, the installer will report to the hirer or representative and check the route to confirm the task, taking into account the individual / load factors and confirm the access and environmental factors prior to installation. Games are on castors and are delivered to site on vehicles with tail lifts. Ramps are used where necessary. Mechanical aids can be provided and used at all time e.g. sack trollies, dollies. All installers have been trained in manual handling.	Low if controls are met.	Monitor and provide refresher training as necessary. Installers to report any symptoms or injuries to management.		



Unit 10, Newbury Trade Park, Hambridge Road, Newbury, Berkshire, RG14 5PF, UK

SIGNIFICANT HAZARDS		Who Might be Harmed & How?	Control Measures	Risk with Controls in Place	Further Actions Needed	Action Completed*	Actioned By:
	wooden blocks.		Once installed, no attempt should be made to move the game by an unauthorised person. Installers wear gloves & safety footwear. All lifting equipment is inspected annually by a competent person.				
3.	Use of Electrical Equipment Connecting cables and power supply when installing equipment	Installers. Possible risk of electrocution/ electric shock/burns.	All games undergo planned maintenance and PAT testing in line with manufacturers' instructions. All games are installed by trained fitters and are tested and visually inspected for damage to cables and connectors prior to leaving the depot and on installation. No unauthorised person should tamper with the game or try to access the internal workings. If there is a fault, the hirer should contact the installer. Electrical hazard signs are posted where an electrical hazard exists. As far as possible, the location should be dry. RCDs will be used for installations in marquees and other external venues. The hirer should supply a standard 240V power supply to within 2 meters of the intended installation point. Powder fire extinguishers are carried on vehicles. Firefighting precautions for the venue should include extinguishers for electrical fires.				



Unit 10, Newbury Trade Park, Hambridge Road, Newbury, Berkshire, RG14 5PF, UK

SIGNI HAZA	FICANT RDS	Who Might be Harmed & How?	Control Measures	Risk with Controls in Place	Further Actions Needed	Action Completed*	Actioned By:
4.	Slips, Trips and Falls	Installers Sprains or fractures if they trip over cables or slip.	Installers are instructed to maintain good housekeeping. They walk around the site prior to offloading to observe any potential hazards. All cables are kept tidy and installers maintain a safe route to work areas. Cables to be used where they are not a trip hazard, e.g. not across access routes etc. Trailing cables are taped down or cover with cable protector. Safety footwear is worn. Cones are used when vehicle tail lift is operational to keep members of the public away from hazards.	Medium	Monitor housekeeping and be observant.		
5.	Vehicle Movement on Site	Installers and others. Injuries from collisions of vehicles with vehicles and vehicles and pedestrians.	Installers observe site speed limits and one-way systems. High visibility clothing is worn. Barriers should be used to segregate pedestrians and vehicles. Driver's to be observant for unexpected movements of pedestrians. Drivers to follow specified route. Vehicles should be fitted with a reversing alarm. A banksman must always be present. Employees are instructed to report any observed unsafe behaviour.	Low			
6.	Personal injury from sharp edges, nips, strobe lighting,	Installers Cuts and bruises.	A physical inspection of the game is carried out prior to dispatch in the workshop and after installation. Damaged equipment will not be sent out. Gloves to be worn when handling abrasive edges. These must give protection against abrasive	Low			



Unit 10, Newbury Trade Park, Hambridge Road, Newbury, Berkshire, RG14 5PF, UK

SIGNI HAZA	FICANT RDS	Who Might be Harmed & How?	Control Measures	Risk with Controls in Place	Further Actions Needed	Action Completed*	Actioned By:
	movement of game.		materials and have a high tear/cut resistance. Installers should cover all cuts and abrasions with a waterproof dressing before work or as they occur.				
			The installer will brief the hirer in the safe operation of the equipment as part of the commissioning process. Where space is required around the machine, a physical barrier will also be installed with appropriate signage.				
			Where the manufacturer has observed a risk to the user resulting from physical exertion or strobe like graphics, appropriate signage will be displayed detailing the risk to the user.				
			Other appropriate warning signs are displayed as necessary.				
7.	Driving	Vehicle occupants— injuries from collisions, musculoskeletal complaints from	Sufficient time is planned for drivers' journeys so that rest breaks can be taken to relieve tiredness and allow time to check phone calls whilst parked. Drivers are instructed to switch off mobile phones whilst driving or set them to answer phone. Only hands free phones are to be used in vehicles	Medium	Consider ergonomic features when purchasing new vehicles.		
		long journeys	unless the vehicle is parked. Safety equipment on company vehicles is maintained in good order, e.g. seat belts and head restraints, so that they function properly. Drivers are provided with guidance on good posture and, where appropriate, on how to set their seat and head restraints correctly.				



Unit 10, Newbury Trade Park, Hambridge Road, Newbury, Berkshire, RG14 5PF, UK

Generic Risk Assessment: Installations of Arcade Games (Two Person to Carry in)

SIGNIFICANT HAZARDS		Who Might be Harmed & How?	Control Measures	Risk with Controls in Place	Further Actions Needed	Action Completed*	Actioned By:
			Routine inspections are carried out on company vehicles to ensure they are maintained in good working order.				
8.	Working Outdoors	Installers In Sun - Heat stress, exposure to UV light causes sun burn and cancer. Cold Weather – discomfort, cold, numb fingers may cause tendency to drop items or grip them too tightly.	Tops must not be removed in sunny weather. Use sun screen and wear hats in sun. Avoid working in sunny areas if possible. Take regular breaks in the shade in hot weather. Consume plenty of cold drinks (preferably water). Installers are instructed to check skin regularly fo unusual moles or spots and see GP if they find at Cold, waterproof clothing is provided.		Low		
To Completion		eview made by: eview Date: Nov 2017					
	Briefing on Site Specific Issues Delivered By: **Date: Installers must review this generic assessment and make a note of any circumstances of the second se						

Installers must review this generic assessment and make a note of any circumstances or significant environment factors that need to be taken into account when making this assessment site specific, then sign below to acknowledge they have read and understood the risk assessment and will comply with the specified requirements and control measures. If the work activity changes, they will seek further advice and ask for a revised method statement and risk



Unit 10, Newbury Trade Park, Hambridge Road, Newbury, Berkshire, RG14 5PF, UK

SIGNIFICANT HAZARDS	Who Might be Harmed & How?	Control Measures		Risk with Controls in Place	Furt	ther Actions Needed	Action Completed*	Actioned By:
assessment.								
Name			Signature			Date		